

# INSTRUCTION MANUAL

## Product Description

The Fixed Frame screen comes easy to install packaging that contains aluminium frames, screen and assembling accessories. No technical knowledge required to Install and assemble the projection screen.

Fixed Frame screens are perfect for home theatre and mini theatre applications. As These screens are suitable for places that requires permanent installation of screens. Fixed frame screens are the ideal choice for 3D viewing.

The screen has 160 degree viewing angle with fully black backed front projection screen material. Mildew resistant, and easy to clean with soap and water.


Features an easy-to-assemble, black velvet covered aluminium frame that enhances overall appearance and absorbs projector overshoot.





## Key Heighlights

- Comes with easy to install installation kit
- Available in variety of fabric options
- Superior quality of screen fabric
- Easy to maintain and clean screen fabric
- Available in custom size as per the size of the room

## Package Includes

- Aluminium Section Frames - 4 Nos. (2 verticle and 2 horizontal)



<ul style="list-style-type: none"> <li>• Projection Screen - 1 Nos.</li> </ul> 	<ul style="list-style-type: none"> <li>• Allen-key (1 Nos.)</li> </ul> 
<ul style="list-style-type: none"> <li>• L Angle Brackets - 4 Nos.</li> </ul> 	<ul style="list-style-type: none"> <li>• Fasteners</li> </ul> 

## Fix Frame Assembly

**Step 1:** Unbox the package content and place them on clean surface.

**Step 2:** Arrange the Aluminium section frame on the floor in a way that two same frame are on opposite side.




**Step 3:** Join all the 4 corners using L brackets. Make sure that the corners are properly aligned



**Step 4:** Once the frame is aligned, tightly screw the all the four corners with the help of allen-key.




**Step 5:** Roll the screen on the frame. Arrange the sliding hooks so that they are in line with the holes on the screen.



**Step 6:** Tie the fasteners to all the eyelets on the screen. Fasten the fasteners to the sliding hooks on the frame. Fasten all the hooks properly so that there are no wrinkles on the screen. Make sure to fasten 2 fasteners to the hooks on all the four corners of the screen.



**Step 7:** Install the fixed frame screen on the wall. Make sure the nail or the screw is properly placed in the bracket.



Support: +91 90237 33513 | Sales: +91 98240 83843

Email: [info@pinnaclescreens.com](mailto:info@pinnaclescreens.com)

34/35, Sahajanand Kutir, 2<sup>nd</sup> Floor, Munjmahuda, Vadodara 390 020